

**CLAIM AMENDMENTS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method of routing a call to a voice mailbox based on a redirecting number, the method comprising:  
receiving a call from an originating telephone device at a first redirecting telephone device;  
forwarding the call from the first telephone redirecting device to a second telephone redirecting device, the forwarded call having an associated data message that includes a calling number of the originating telephone device and a first redirecting number of the first redirecting telephone device; and  
forwarding the call from the second redirecting telephone device to a destination voice mailbox, the destination voice mailbox selected from a plurality of voice mailboxes associated with a user, the destination voice mailbox selected based on an evaluation of the first redirecting number and a second redirecting number.
2. (Cancelled).
3. (Original) The method of claim 1, wherein at least one of the first and the second redirecting numbers is compared to a set of predetermined authorized redirecting numbers and wherein the voice mailbox is selected from a group of available voice mailboxes based upon at least one of the first and the second redirecting numbers.

4. (Currently Amended) A method of processing an intelligent network communication, the method comprising:

receiving a query message at a switch control point;

determining that inbound call data includes a first redirecting number of a first telephone redirecting device;

formulating a response message to the query message, the response message to indicate an address ~~for~~ of a destination voicemail account, wherein the destination voicemail account is one of a plurality of voicemail accounts associated with a user, the address determined based upon the first redirecting number of the first telephone redirecting device and a second redirecting number of a second telephone redirecting device;

sending the response message to a service switching point; and

routing a call to the destination voicemail account based upon the address.

5. (Currently Amended) The method of claim 4, further comprising comparing the second redirecting number to a plurality of authorized redirecting numbers.

6. (Currently Amended) The method of claim 5, wherein the response message indicates forwarding the call to the destination voicemail account only when the second redirecting number is found within the plurality of authorized redirecting numbers.

7. (Currently Amended) An intelligent network system comprising:  
a switching control point;  
a service switching point coupled to the switching control point;  
wherein the service switching point is operative to send a request message to the  
switching control point, the request message including a subscriber telephone  
number and a redirecting number of a telephone redirecting device; and  
wherein the switching control point is operative to send a response message to the service  
switching point based on an evaluation of the redirecting number and a second  
redirecting number of a second telephone redirecting device, the response  
message including a field to identify a number associated with a voicemail  
account, wherein the voicemail account is one of a plurality of voicemail accounts  
associated with a user.
8. (Original) The system of claim 7, wherein the service switching point is coupled to a  
second service switching point that is coupled to a destination voicemail system.
9. (Original) The system of claim 7, wherein the service switching point receives a data  
message associated with a call prior to sending the request message to the switching control  
point.
10. (Original) The system of claim 8, wherein the service switching point is coupled to a  
signaling system 7 type of communication link.
11. (Currently Amended) The system of claim 9, wherein the call is routed to a default  
home voicemail system when the second redirecting number is not found in an authorized list of  
redirecting numbers.
12. (Currently Amended) The system of claim 8, wherein the second service switching  
point receives a message that includes a calling number, a called number, the redirecting number,  
and the [[a]] second redirecting number.

13. (Previously presented) The system of claim 12, wherein the second service switching point includes a memory that stores data related to the plurality of voicemail accounts.

14. (Original) The system of claim 7, wherein the switching control point includes a memory, the memory including a first redirecting number entry associated with a first voice mailbox and a second redirecting number entry associated with a second voice mailbox.

15. (Previously presented) The system of claim 14, wherein the first redirecting number entry is associated with a work phone and wherein the first voice mailbox is a designated work voicemail account.

16. (Previously presented) The system of claim 15, wherein the second redirecting number entry is associated with a mobile communication device and wherein the second voice mailbox is a designated mobile communication device voicemail account.

17. (Original) The system of claim 16, wherein a first greeting is presented upon access to the first voice mailbox and a second greeting is presented upon access to the second voice mailbox.

18. (Currently Amended) The system of claim 17, wherein the memory further includes a default voicemail account associated with a home phone, wherein the default voicemail account is one of the plurality of voicemail accounts associated with a user.

19. (Original) The system of claim 18, wherein the switching control point replaces an address of the default voicemail account with an address of at least one of the first voice mailbox and the second voice mailbox.

20. (New) The method of claim 1, further comprising presenting a first greeting upon access to the destination voice mailbox and presenting a second greeting upon access to a second voice mailbox of the plurality of voice mailboxes associated with the user.

21. (New) The method of claim 1, wherein the second redirecting number is associated with the second telephone redirecting device.